

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	113	703/6.ccls. and @pd>"20061101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/07/11 13:11

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	remanufactur\$3.ti. and @pd>"20061101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/07/11 13:29
L2	31	(remanufactur\$3 and (estimat\$4 or assess\$5)) and @pd>"20061101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/07/11 13:30
L3	31	((repair or overhaul) near estimat\$4) and @pd>"20061101"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/07/11 13:31


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

remanufacture estimate

1900

- 2000

Search

Ad
Sc
Sc

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 319 for **remanufacture estimate**. (0.27)

All ResultsDid you mean: **remanufactured estimate**[V Guide](#)[R Hammond](#)[B Bras](#)[C Rose](#)[T Amezquita](#)

Considering remanufacture and other end-of-life options inselection of fastening and joining methods - all 3 versions »

LH Shu, WC Flowers - Electronics and the Environment, 1995. ISEE., Proceedings of ..., 1995 - [ieeexplore.ieee.org](#)

... In the maintenance amid **remanufacture cost estimates**, the consequences of the above types of failure are weighted by their respective probabilities. ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#)

A Decision Support System for Planning Remanufacturing at Nortel Networks - all 7 versions »

JD Linton, DA Johnston - Interfaces, 2000 - [extenza-eps.com](#)

... Ron and Delpout 1996] suggest that customer returns can be difficult to **estimate**. ... in this area could contribute to a generalizable theory of **remanufacturing**. ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Energy and labor cost of gasoline engine remanufacturing

ER Venta, AM Wolsky - 1978 - [osti.gov](#)

... of the labor and energy, by fuel type, required by the US economy to **remanufacture** gasoline-fueled automobile and truck engines. ^Th **estimate** was obtained by ...

[Cited by 1](#) - [Cached](#) - [Web Search](#) - [Library Search](#)

Remanufacturing: evidence of environmentally conscious businesspractice in the UK - all 4 versions »

WL Ijomah, JP Bennett, J Pearce - Environmentally Conscious Design and Inverse Manufacturing, ..., 1999 - [ieeexplore.ieee.org](#)

... core" activity is the key fault analysis stage in the **remanufacture** process. ... to ensure that valid rectification methods and accurate cost **estimates** can be ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

Rough-cut capacity planning for remanufacturing firms - all 2 versions »

VDR GUIDE Jr - Production Planning & Control, 1997 - Taylor & Francis

... be updated to re^{ect} changes in the condition of material being **remanufactured/** repaired. In order to obtain the operation time per piece, an **estimate** of the ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

The economics of end of life management strategy choice: routes torevenue generation from mature ... - all 3 versions »

MK Low, DJ Williams, C Dixon - Electronics and the Environment, 1997. ISEE-1997., ..., 1997 - [ieeexplore.ieee.org](#)

... costs) has shown that values in Model 2 were about 8 times greater than the actual **estimate** for recycling, 1.5 times greater for **remanufacturing** and about 10 ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

Production planning for companies with remanufacturing capability

AJ Clegg, DJ Williams, R Uzsoy - Electronics and the Environment, 1995. ISEE.,


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 583 for **remanufacture decision**. (0.07)

All Results

Did you mean: **remanufactured** decision

[V Guide](#)

[V Jayaraman](#)

[R Srivastava](#)

[M Salomon](#)

[R Dekker](#)

Simple optimal replenishment and disposal policies for a product recovery system with leadtimes

K Inderfurth - OR Spectrum, 1997 - Springer

... Since the **remanufacturing decision** directly depends on the flow of returns, the case of a **remanufacturing** leadtime sur- plus ($A_r > A_v$) cannot be modeled just ...

[Cited by 64](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Closed-loop logistics model for remanufacturing - all 6 versions »

V Jayaraman, VDR Guide Jr, R Srivastava - OR Journal(Journal of the Operational Research Society), 1999 - ingentaconnect.com

... the **decision** is to keep facilities 1, 2, 3, and 6 open while also opening a new facility at node 7. The facility at node 7 while open, does not **remanufacture** ...

[Cited by 46](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

A Decision Support System for Planning Remanufacturing at Nortel Networks - all 7 versions »

JD Linton, DA Johnston - Interfaces, 2000 - extenza-eps.com

... 22 Figure 2: The control panel for the **decision** support system is divided into three ... the cost to produce a new assembly, the cost to **remanufacture** an assembly ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Remanufacturing: evidence of environmentally conscious businesspractice in the UK - all 4 versions »

WL Ijomah, JP Bennett, J Pearce - Environmentally Conscious Design and Inverse Manufacturing, ..., 1999 - ieeexplore.ieee.org

... core" activity is critically important to the overall economic viability of the entire **remanufacture** process. It is at this stage that **decisions** are made ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

Production planning for companies with remanufacturing capability

AJ Clegg, DJ Williams, R Uzsoy - Electronics and the Environment, 1995. ISEE., Proceedings of ..., 1995 - ieeexplore.ieee.org

... is straightforward to modify the model to take different The **decision** variables are ... reuse versus dispose of, how much of each product to **remanufacture** and how ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

A goal programming approach to the remanufacturing supply chain model - all 3 versions »

E Kongar, SM Gupta - Proceedings of the SPIE International Conference on ..., 2000 - coe.neu.edu

... to determine the allowable tolerance limits of planned/unplanned inventory in a **remanufacturing** supply chain environment based on the **decision-maker's** unique ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Product remanufacturing and disposal: A numerical comparison of alternative


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

remanufactured decision

1900

- 2000

Search

Ad
Sc
Sc
Scholar All articles - **Recent articles** Results 1 - 10 of about 211 for **remanufactured decision**. (0.2
All Results[V Guide](#)[V Jayaraman](#)[R Srivastava](#)[R Dekker](#)[E Laan](#)**Closed-loop logistics model for remanufacturing - all 6 versions »**

V Jayaraman, VDR Guide Jr, R Srivastava - OR Journal(Journal of the Operational Research Society), 1999 - ingentaconnect.com

... and stocking of the optimal quantities of **remanufactured** products and cores. We also discuss the managerial uses of the model for logistics **decision**-making. ...[Cited by 46](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**A Decision Support System for Planning Remanufacturing at Nortel Networks - all 7 versions »**

JD Linton, DA Johnston - Interfaces, 2000 - extenza-eps.com

... amount of seedstock required for a design change using **remanufactured** product is a ... To plan an efficient upgrade, **decision** makers must understand the nuances of ...[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Remanufacturing: evidence of environmentally conscious businesspractice in the UK - all 4 versions »**

WL Ijomah, JP Bennett, J Pearce - Environmentally Conscious Design and Inverse Manufacturing, ..., 1999 - ieeexplore.ieee.org

... of large amounts of data, all of which must be considered by **decision** makers ... from repair in that all components of the item to be **remanufactured** are completely ...[Cited by 7](#) - [Related Articles](#) - [Web Search](#)**Production planning for companies with remanufacturing capability**

AJ Clegg, DJ Williams, R Uzsoy - Electronics and the Environment, 1995. ISEE., Proceedings of ..., 1995 - ieeexplore.ieee.org

... in period t. nit: unit sales price of **remanufactured** product i in period 1. nit: unit sales price of new product i in period t. **Decision** Variables: TDt: Units ...[Cited by 24](#) - [Related Articles](#) - [Web Search](#)**The Japanese in the Automotive Aftermarket - all 2 versions »**

AH Walle - MANAGEMENT DECISION, 1994 - emeraldinsight.com

60 MANAGEMENT DECISION 32,7 Introduction **Remanufactured** automotive components (used

parts which have been totally refurbished to "like new" condition) are ...

[Web Search](#) - [BL Direct](#)**The resource recovery level **decision** for end-of-life products - all 2 versions**

»

K GOGGIN - Production Planning & Control, 2000 - Taylor & Francis

... The level of recovery – a complex **decision** ... with newer product models to determine whether or not a particular product should be reused or **remanufactured**. ...[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**... properties and imaging characteristics of **remanufactured** intravascular ultrasound catheters - all 3 versions »**

C our FAQ, R Zone - The International Journal of Cardiac Imaging, 2000 - ingentaconnect.com


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 15,900 for **repair replace decision**. (0.2

All Results

[G Monahan](#)
[J Rust](#)
[R Dekker](#)
[R Cooper](#)
[J Haltiwanger](#)

A Survey of Partially Observable Markov **Decision** Processes: Theory, Models, and Algorithms

GE Monahan - Management Science, 1982 - JSTOR

... In perfectly observable machine **replacement** problems condi ... nance, translates into **repair** policies that ... perfectly observable sequential **decision** problems remain. ...

Cited by 231 - [Related Articles](#) - [Web Search](#)

Optimal Strategies for Some **Repair** Replacement Models

W Stadje, D Zuckerman - Advances in Applied Probability, 1990 - JSTOR

... Thus the operating (**repair**) intervals are stochastically decreasing (increasing ...
 (b) **Replace** the system ... instant in an operating interval, the **decision** whether or ...

Cited by 37 - [Related Articles](#) - [Web Search](#)

Will endovascular **repair** **replace** open surgery for abdominal aortic aneurysm **repair** - all 12 versions »

CK Zarins, YG Wolf, WA Lee, BB Hill, IC Olcott, EJ ... - Ann Surg, 2000 - annalsofsurgery.com

... **Decisions** were primarily based on the morphologic features demonstrated on helical CT angiograms ... Rather than **replacing** open surgical **repair**, it appears to ...

Cited by 56 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Applications of maintenance optimisation models: a review and analysis - all 2 versions »

R Dekker - Reliability Engineering, 1996 - dspace.ubib.eur.nl

... Failures of important equipment may delay long-planned activities. Major **decisions**, eg, choosing between **replacement** or **repair**, may have to be taken quickly. ...

Cited by 136 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

The **Repair** Limit Replacement Method

NAJ Hastings - OR, 1969 - JSTOR

... immediate inconvenience cost should appear as a fixed cost associated with a particular state since it is incurred whatever the **repair/replacement decision**. ...

Cited by 26 - [Related Articles](#) - [Web Search](#)

Optimal Replacement of GMC Bus Engines: An Empirical Model of Harold Zurcher - all 4 versions »

J Rust - Econometrica, 1987 - JSTOR

... and $b(x, 0.13)$ is the conditional expectation of towing costs, **repair** costs, and ...
 $1 - \exp\{0.2(x + 1 - x)\}$. However if the **decision** is made to **replace** the bus ...

Cited by 327 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

The marginal cost analysis and its application to **repair** and replacement policies - all 2 versions »

MP Berg - European Journal of Operational Research, 1995 - ingentaconnect.com

... in which case a Bayesian inference procedure is associated to the failure process and its results incorporated into the **repair** or **replace decision** process at ...

Cited by 14 - [Related Articles](#) - [Web Search](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

appraisal repair replace decision

1900

- 2000

Search

Ad
Sc
Sc

Scholar All articles - **Recent articles** Results 1 - 10 of about 14,000 for **appraisal repair replace decision**

All Results[J McCall](#)[H Simon](#)[J Quinlan](#)[K Murphy](#)[D Cook](#)

Vehicle Replacement: A Case Study in Adapting a Standard Approach for a Large Organisation - all 3 versions »

JC Russell - The Journal of the Operational Research Society, 1982 - JSTOR

... currently used by British Gas for this type of **appraisal**. ... by which an estimate of future **repair** costs is ... are one part of the **decision** to **replace** an individual ...Cited by 5 - [Related Articles](#) - [Web Search](#)

Modeling Decision-Specific Stress: Some Methodological Considerations - all 3 versions »

MB Holbrook, MJ Ryan - Administrative Science Quarterly, 1982 - JSTOR

... MAINTENANCE PERSONAL USE **REPAIR/REPLACE** / ,vera~e ... routine **decisions** concerningmaintenance and **replacement**. ... and empir- ical **appraisal**." Psychological Bulletin ...Cited by 3 - [Related Articles](#) - [Web Search](#)

Maintenance Policies for Stochastically Failing Equipment: A Survey - all 2 versions »

JJ McCall - Management Science, 1965 - JSTOR

... to conclude the paper with a systematic **appraisal** of the ... to calculate the optimal number of equipments and **repair** teams.4 ... "On Optimal **Replacement** Rules When ...Cited by 111 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Financial appraisal and the IS/IT investment decision making process - all 5 versions »

J BALLANTINE - Journal of Information Technology, 1998 - Taylor & Francis

... the **decision** maker; but when the **decision** is @ nally ... that such techniques can never **replace** manage- rial ... many of the practical issues of **appraisal** in relation ...Cited by 35 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[book] Investigation of PONTIS, a Bridge Management Software - all 2 versions »

... Transportation Centers Program (US, Dept. of ... - 1998 - mountain-plains.org

... inventory **appraisal** sheet. ... Bridges are qualified and ranked for federal **repair** and **replacement** funds based on their SRs: It evolved ...Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Joint Discussion--Meters: Replace, Repair, or Modernize?

RE Gallagher - Journal American Water Works Association, 1972 - AWWA

... is in charge of a meter shop, he should make an honest **appraisal** of its ... costs, and results and then check it against a **replacement** program similar ... Meter **Repair** ...[Web Search](#)

Joint Discussion--Meters: Replace, Repair, or Modernize?; Meter Repair

JR Bettis - Journal American Water Works Association, 1972 - AWWA

... Choice to **Replace** Having made this **decision**, department members ... he should make anhonest **appraisal** of its ... The author leaves the choice **repair**, **replace**, or mod ...


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)
☐ Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((repair<and>replace)<and>decision) <and> (pyr >= 1913 <and> pyr <= 20..."

Your search matched 1735 of 1613146 documents.

A maximum of 250 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)
[New Search](#)

» Key



Indicates full text access

IEEE JNL IEEE Journal or Magazine
 IET JNL IET Journal or Magazine
 IEEE CNF IEEE Conference Proceeding
 IET CNF IET Conference Proceeding
 IEEE STD IEEE Standard

Modify Search

((repair<and>replace)<and>decision) <and> (pyr >= 1913 <and> pyr <= 2000)

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

[Select All](#) [Deselect All](#)

 View: 1-25 | [26-50](#) | [51-75](#) | [76-](#)

- | | |
|--------------------------|---|
| <input type="checkbox"/> | 1. IEEE recommended practice for electric power systems in commercial buildings
18 Sept. 1991
Abstract Full Text: PDF(7452 KB) IEEE STD |
| <input type="checkbox"/> | 2. IEEE recommended practice for the design of reliable industrial and commercial power syst
3 May 1991
Abstract Full Text: PDF(15280 KB) IEEE STD |
| <input type="checkbox"/> | 3. IEEE recommended practice for electric power distribution for industrial plants
1994 Page(s):1
Abstract Full Text: PDF(8060 KB) IEEE STD |
| <input type="checkbox"/> | 4. Replacement vs. repair of failed components for a system with a random lifetime
Wells, C.E.;
Reliability, IEEE Transactions on
Volume 37, Issue 3, Aug. 1988 Page(s):280 - 286
Digital Object Identifier 10.1109/24.3755
Abstract Full Text: PDF(448 KB) IEEE JNL
Rights and Permissions |
| <input type="checkbox"/> | 5. Considerations for repair or replacement of AC motors
Harding, W.C.;
Cement Industry Technical Conference, 1999, Conference Record, 1999 IEEE-IAS/PCA
11-15 April 1999 Page(s):23 - 29
Digital Object Identifier 10.1109/CITCON.1999.767009
Abstract Full Text: PDF(252 KB) IEEE CNF
Rights and Permissions |
| <input type="checkbox"/> | 6. IEEE recommended practice for the design of reliable industrial and commercial power syst
1998
Abstract Full Text: PDF(12672 KB) IEEE STD |
| <input type="checkbox"/> | 7. Facing the headaches of early failures: A state-of-the-art review of burn-in decisions
Way Kuo; Yue Kuo;
Proceedings of the IEEE
Volume 71, Issue 11, Nov. 1983 Page(s):1257 - 1266 |